

Kanta Pharma



L-KPXINE

Levocetirizine Dihydrochloride IP-5mg

TABLETS

- Significantly improves quality of life in persistent allergic rhinitis¹
 Junvest g Allergo Clin Immunol 2008; Vol. 18(5): 343-349
- More effective in reducing nasal symptom score than single agent alone in AR²

 2.Ann Allergy Asthma Immunol. 2006 Nov.97/51664-71.

 More effective in reducing nasal symptom score than single agent alone in AR²
- Exerts both bronchodilatory and anti-inflammatory effects in patients with asthma³ 3.Chest 2002;121:732-738.

Symptoms of Allergic Rhinitis (Seasonal and Perennial)

As Prophylaxis in Seasonal Allergic Rhinitis

Treatment of Comorbid Asthma & Allergic Rhinitis



KANVEX-SP

Aceclofenac IP - 100 mg+Serratiopeptidase IP-15 mg+Paracetamol IP-325 mg Tablets

- Aceclofenac: Better intestinal safety than diclofenac¹
- Paracetamol: Synegistic efficacy in more severe pain with other NSAIDs²
 2.Pain, Volume 121, I.S., et 1-2, March 2006, Pages 22-28
- Serratiopeptidase: Augments the penetration of concomitant NSAIDs

Shows rapid pain relief compared with monotherapy²

Effective & valuable therapeutic option for controlling pain and inflammation after surgical procedures⁴

3.Export Opin Pharmacother, 2009 Apr;10(5):727 35 4.J Indian Med Assoc. 2008 .un;106(6):409 11

- Post-surgical Pain
- Dental Pain
- ENT Pain

- Fracture Pain
- Gynaecological Pain



Let the Joy of Recovery Burn out the pain

KANVEX-P

Aceclofenac IP - 100 mg+Paracetamol IP 325 mg

Tablets

ACECLOFENAC:

- Superior efficacy than diclofenac.
- Better intestinal safety than diclofenac.²

PARACETAMOL

- The most widely used pain reliever.3
- Safe and effective in most patients. 4
- S ACUTE FLARES OF : RA, OA & GOUT
- A DENTAL PAIN
- # PAINFUL FEBRILE CONDITION
- POST OPERATIVE PAIN
- LOW BACK PAIN
- MUSCULOSKELETAL PAIN

For **Xtra** benefits of efficacy and **safety**, Rely on

KPXONE

Ceftriaxone Sodium IP-1000mg

Injection

High degree of stability against the beta-factamases

Restores full potential of Ceftriaxone against Klebsiella, pseudomonas & Eschericia coli

Once daily for 5 days has cure rates of 96.6% in community acquired pneumonia.

Stat dose is more effective (97.17% cure rate) than 10 days oral amoxici lin (90.57% cure rate).

Meningitis | Urinary tract infections | Skin and soft tissue infections | Cholecystitis | Osteomyelitis | Sexually transmitted diseases





KPZYME

Diastase IP (1:1200)-50mg, pepsin IP (1:3000)-10 mg Syrup

- Fungal Diastase... helps in effective digestion of carbohydrates
- Pepsin...enhance digestion of proteins in food
- Aids the natural digestive process
- Reduces digestion and increases appetite
- Controls symptoms like belching, bloating and flatulence

INDIGESTION

DYSPEPSIN

LOSS OF APPETITE

WEIGHT LOSS

...A Balanced Enzymatic Supplement

Deliver the complete control with safety...

Deflazacort 6/30 mg


KZACORT-6


Deflazacort 6mg

Tablet



- Treatment of choice for long-term therapy for people at higher risk of metabolic side effects.
- Initial option in children requiring corticosteroid therapy!
 List an December 2008; 5349: 167-170.
- Lesser depression of osteoblasts than prednisolone²
 2.Clin Pher match 1/988-7/366 /r.
- Induces lesser glucose intolerance and insulin resistance than betamethasone³
 SJ Clin Endocrinol Metab. 1958 58:3755-502.






SEVERE ALLERGY

ASTHMA

RHEUMATOID ARTHRITIS

ULCERATIVE COLITIS



KALCITE-500

Vitamins D3- 250 I.U., elemental calcium -500mg Tablet

Increases serum 25(OH)D levels in vitamin D deficient patients¹

Prevents bone loss in late postmenopausal women²

Reduces risk of osteoporotic fractures²

Reduces number of asthma exacerbations³

Convenient Weekly/Monthly dosing

VITAMIN D DEFICIENT STATE IN:

Rheumatoid Arthritis

Fracture and Bone Pain

Pregnancy and Lactation

Osteoporosis and Osteomalacia



KPFEX-XT

Ferrous Ascorbate & Folic Acid

Tablet

STABLE IRON

There is no dissociation of Ferrous ascorbate on entering GI tract due to the stable chelate of iron with Ascorbate.

HIGHEST SOLUBLE IRON

faster rate of transfer from the lumen into portal blood 30 minutes with Ferrous Ascorbate compared to 24 hours with the complex iron salts

FOLIC ACID FOR GREATER SAFETY

Decreases risks of preterm delivery corrects infant low birth weight

- Pregnancy OBlood loss

Anaemia

Designed to be well absorbed



Silent Relief from Cough Symptoms...



Suppresses cough by central action on cough center

Results in vasoconstriction, which reduces nasal congestion

Competitively antagonizes histamine at H 1 receptor sites

Calms down cough by inhibiting the cough reflex
Relieves cough caused by throat and bronchial irritation
Improves respiration and soothes irritated throat

Dry cough | Allergic cough and Cold | Smokers Cough Night-time Cough and Nasal Congestion




KPTOP-DS

Pantoprazole-40mg+Domperidone IP - 30 mg, SR capsule

- Offers high efficacy in improving the symptoms of GERD
- Exerts 24 hr action and prevents occurrence of acidity at night-time
- Superior therapeutic response than H2 receptor antagonist plus domperidone
- Completely cures 72.34% patients of esophagitis at 4 weeks

- GERD
- Erosive esophagitis
- Non ulcer dyspepsia



KPRAB-DSR

Rabeprazole sodium IP -20 mg+Domperidone IP-30 mg capsules

RABEPRAZOLE:

- Consistent efficacy profile
- Low drug interaction potential
- Rapid and effective in relieving heartburn on day 1²
- Improves other GERD-related symptoms such as regurgitation and belching²

DOMPERIDONE:

- No extrapyramidal side effects³
- Alleviates satiation, bloating and nausea by accelerating gastric emptying³

GERD

Dyspepsia

Post-operative nausea and vomiting

Nausea associated with acid peptic disorders

Chronic gastritis



KPCIP-500 Mg Tablet

- Broad spectrum of activity against Gram + ive, Gram ive & atypical pathogens
- As effective as cefuroxime plus erythromycin in community-acquired pneumonial
- 3-day regimen of azithromycin is as effective as a 10-day regimen of co-amoxiclav in acute LRTIs²
- Maintains sustained pulmonary tissue concentrations higher than MICs for major respiratory pathogens⁵

Community Acquired Pneumonias

Tonsillitis/Sinusitis

Infected Dermatitis

Genitourinary Tract Infections

Acute Bacterial Exacerbations of Chronic Bronchitis



The One That Hits Target...

KEFIX-200 Tablet

- Clinical success rates of 96% in LRTIs.
- Resistant to hydrolysis by many beta-lactamases
- More effective than amoxicillin for AOM caused by H. influenza¹
 1.The P. Infl. Disease... Oct. 1987 Vol. 6(20)
- Cefixime (stat dose) is as effective as ceftriaxone in uncomplicated gonorrhea²
 2.NE.M. Volume 325:1337:341,November 7, 1991,N. mber 19

Otitis Media/Pharyngitis/ Tonsillitis • Uncomplicated Urinary Tract Infections

Acute Exacerbations of Chronic Bronchitis

Uncomplicated Gonorrhea



KANOVIT

Mulltivitamins+Multiminerals

Syrup

Multivitamins

Prevent Oxidation reaction by removing free radicals
Maintains healthy nerves & connective tissues
Reduces muscle spasms legs cramps hard numbness etc

Multiminerals

Improves immune system of the body Reduces excessive blood glucose levels Improve bone mineral density

Antioxidants

Increases resistance to diseases Slows down the ageing process Improves blood flow to the extremities

Diabetes

CVS/CNS Disorders

Vitamin Deficiencies

Post-Operative Recovey

Muscular Degeneration



Ensure Freedom from Fungal Infections...

KPZOLE-150

Fluconazole 150mg

TABLETS

Fluconazole...

- Shows good clinical and mycological efficacy
- Eradication rates with fluconazole were 76% compared to 66% for itraconazole in Acute Vaginal Candidiasis [Eur.) Obstet Gynecol 2003 Feb 10;108(2):193-7]
- Dramatically decreases signs and symptoms, 7 days after treatment initiation [Eur J Obstet Gynecol 2003 Feb 10:106(2):193-7]
- 77% clinical cure rates with once weekly dosing in tinea pedis [Clinical& Experimental Dermatology, Vol. 17, Issue 5, P.402-405]
- Single 150mg Fluconazole is as safe and effective as 7 days of intravaginal clotrimazole for Candida vaginitis [American Journal of Obstetrics & GYnecology, Vol.172, Issue 4, Part 1, April 1995, P. 1263-1268]

Vaginal Candidiasis

Oral Thrush

Dermatomycosis

... Safe, Effective & Convenient

Fungal Infection can be tough to Eradicate....

KTROCONAZOLE-100

Itraconazole 100

Softgel Capsule

- Broad spectrum of action with efficacy against aspergillosis, Histoplasmosis, Candidiasis as well as fungal infection of toe nails and onycomycosis.
- ◆ A potent fungistatic that effective even in immuno compromised patients.
- Itraconzole was tolerated significantly better than conventional AMB and also showed advantages regarding efficacy
- Itraconazole is a useful and safe agent in empirical antifungal therapy

Aspergillosis
Cryptococcosis
Candidiasis
Mycosis
Sporotrchosis



Complete eradication of tough fungal infections

The prefect treatment for bacterial infections







KPROXIME-250

Cefuroxime Axetil 250 mg

Tablets

- Beta lactamase stable, trusted & safe cephalosporin
- Higher Drug penetration in tissues & body fluids
- Efficacy better than other 3rd & 4th Generation
 Injectable cephalosporins



Post Surgical Infections

Pharyngitis & Tonsillitis

Otitis media & Sinusitis

Typhoid & Pneumonia

Switch over therapy



Eradicate critical bacterial infections



Levosalbutamol sulphate IP-1mg+Ambroxol Hydrochlore IP-30 mg+ Guaiphenesin IP-50mg

Syrup

Liquifies mucus and enhanes mucociliary cleearance Stimulates lung surfactant & anti inflammatory activity

Sooths the irritated mucosa

Improves airway clearance Facilitates breathing

FDA approved expectorant Helps to remove thick viscid mucus

BRONCHITIS

PNEUMONIA

ASTHMATIC COUGH COPD

BRONCHO SPASTIC DISORDERS



KORFLOX-TZ

Norfloxacin IP 400mg+Tinidazole IP 600mg

Tablet

Tinidazole is active against protozoa and anaerobic bacterial infections against which norfloxacin is inactive. The combination of norfloxacin and tinidazole has an extended range of antimicrobial spectrum. This is effective in mixed gut infections, diarrhoea and dysentery.

Norfloxacin works by preventing the bacterial cells from dividing and repairing, there by killing the bacteria.

DIARRHEA

DYSENTERY



KANTOP-GEL

Diclofenace Diethylamine IP-2%w/w, Methyl salicylate IP-10%w/w,
Peppermint oil IP-10%w/w, Eucalyptus oil IP-5%w/w, Turpentine oil IP-10%w/w

Possesses analgesic properties greater than other NSAIDs.

Penetrates deep into the skin.

Minimizes systemic toxicity.

Provides quick relief from Sprain.

Relieves pain in musculoskeletal, joint, and soft tissue disorders.

Effectively relieves back, neck & shoulder pain & reduces swelling.

Neuropathic Pain

Muscle Pain

Acute Musculoskeletal Pain

Low Back Pain

Sprain & Strains

KANTROGYL Metropidezelo 200mg Supposion

Metronidazole 200mg Suspension

Metronidazole is an antibiotic.

Metronidazole is used to treat a wide variety of infections caused by anaerobic bacteria and micro-organism called protozoa.

Used in the treatment of conditions such as bacterial vaginosis and pelvic inflammatory disease.

Treat an infection called bacterial vaginosis.

Metronidazole is also used to get rid of Helicobacter pylori (a bacterial infection often associated with stomach ulcers).



Makes each breath a free breath

KMOXIN-D

Moxifloxacin-0.5%w/v
Dexamethasone sodium phosphate IP-0.1%w/v

Eye drop



- Locally effective and direct acting drug that relieve nasal congestion
- Used successfully for many years and is generally recognized as an effective and safe therapy²
- Safe and Cheaper to use than phenylephrine-lignocaine³
- ⁴ Effective and well tolerated decongestant nasal spray that significantly relieves nasal congestion[↑]
 - Allergic Rhinitis
 - Blocked Nose
 - Sinusitis

^{2.} Curr Med Res Opin. 2010 Apr, 26(4):889-99

^{3.} J Laryngol Otol. 2009 Jun; 123(6):626-30

^{4.} Am j Rhinol. 2008 Sep. Oct; 22(5): 491-6

Deleter all fungo bacterial ear ahcer

KLYBIOTIC

Clotrimazole I.P. 1% w/v+Lignocaine HCI I.P. 2% w/v

Ear Drop



- Suppresses pain, reduces itch & inflammation.
- Restores & forties normal host defense mechanism by...
 - Administration of antibiotic in acidic ph of external auditory canal. I
- Excludes any systemic adverse side effects.
 Soften & removes intractable and insipissated cerum en.
- Superficial infections of external auditory canal
- Otitis externa
- Fulminating bacterial infections in otitis media
- Post mastoid surgery



KANTOP-GM

clobetabol propionate IP-0.05%w/w, Neomycin sulphate IP -0.5%w/w, miconazole nitrate IP -2.0% w/w , chlorocresol IP - 0.1% w/w

- Anti-inflammatory, antipruritic & vasoconstrictive properties
- Provides relief of the inflammatory & pruritic manifestations of corticosteroid-responsive dermatoses
- Used to treat skin & scalp conditions that cause inflammation and itching.
- Prescribed for moderate to severe cases of eczema & psoriasis

ITCHING	CRUSTING	PSORIASIS
REDNESS	ECZEMA	DRYNESS

For synergistic relief in irritating cough

Phenylephrine Hydrochloride 5mg+ Syrup

Phenylephrine Hydrochloride 5mg+ Chlorpheniramine maleate 2mg





CHLORPHENIRAMINE MALEATE

A non-narcotic antitussive having action lasting 6-8 hours Better safety profile than codeine

PHENYLEPHRINE HYDROCHLORIDE

- Assists to clear respiratory airways for smooth breathing
- Highly Effective and widely used non-opioid anti-tussive drug!

Dry Irritating Cough Smoker's Cough Allergic & Vasomotor Rhinitis Allergic Cough following URTI & Surgery Allergic Pharyngitis

Dosage: 1 TSF twice a day
Doug saf. 1992 may-jun 7(3): 190-9





Kanta Pharma